

PROFESSIONAL FRAMING NAILER



AIR NAILER

HIGH LEVER FRAMING NAILER

- Contruction & Industry
- Home Improvement

21°Round Head Framing Nailer

RHF9021

- · Light weight and strong aluminum housing
- Non-slip rubber grip for comfort and better control
- Cylinder valve drive system for rapid response and increased durability
- Heat treated air inlet plug with longer life and greater drive power
- Tool-less depth of drive adjustment
- Accepts 2" 3-1/4", 21° round head, plastic collated strip nails
- Ideal for framing, subflooring, roof decking, and wall sheathing



SPECIFICATIONS

Model No:RHF9021 Dimension:526x355x132mm(20.7"x13.97"x5.19") Working Pressure:80-120Psi(5.5-8Bar)

Max.Presssure:120Psi(8.3Bar) Weight:3.9Kg(7.9Lb)

Load Capacity:2x30Pcs



ALUMIMUM HOUSING

Light weight and strong aluminum housing

TRIGGER

Available with either sequential and contact fire triggers.

Nose

Open nose design for easy extraction of a jammed nail

SOFT GRIP HANDLENon-slip rubber grip for co

Non-slip rubber grip for comfort and better control

QUICK COUPLER

1/4" chrome quick coupler.



Spacious magazine holds up to 2x30 nails.

FRAMING NAILER AIR


Contruction & Industry

Home Improvement

AIR NAILER

- Light weight and strong aluminum housing
- Non-slip rubber grip for comfort and better control
- · Heat treated air inlet plug with longer life and greater drive power
- Tool-less depth of drive adjustment
- Accepts 2" 3-1/4", 21° round head, plastic collated strip nails
- · Ideal for framing, subflooring, roof decking, and wall sheathing





21°Round Head Framing Nailer

ARHF9021 SPECIFICATIONS

Model No:ARHF9021

Dimension:124x400x347mm

(4.88"x15.75"x13.66")

Working Pressure:80-120Psi(5.5-8Bar)

Max.pressure:120Psi(8.3Bar)

Weight:3.58Kg(7.87Lb)

Load Capacity:2x30Pcs



34° Clipped Head Framing Nailer

ACHF9034 SPECIFICATIONS

Model No:ACHF9034

Dimension:118x408x342mm

(4.65"x16.06"x13.46")

Operating Pressure:80-120Psi(5.5-8Bar)

Max.pressure:120Psi(8.3Bar)

Weight:3.5Kg(7.72Lb)

Load Capacity:2×40Pcs



FRAMING NAILER

Contruction & Industry

Home Improvement

Coil Framing Nailer

CN83

- Heat treated aluminum Housing -- extra heavy duty industrial design.
- Selective actuation switch(sequential or bump)for convenience.
- · Extra fast at the rate of 3 nails per second.
- Powerful for tough engineered lumber and pallet.
- Tool-Free precise adjustable depth of drive.
- Comfortable over-molded rubber grip.
- Single-action side-load high-capacity magazine that holds up to 200-300 coil nails and reduces downtime.
- The tool drives 15-Degree wire collated coil framing nails 2-Inch by 0.099-Inch to 3-1/4-Inch by 0.131-Inch.
- Compact body design for better balance and control.

APPLICATIONS:

Crating, Fencing, Siding, Decking and Sheathing, Framing, subflooring.

SPECIFICATIONS

Model No:CN83	Dimension:316x360x136.5mm(12.44"x14.17"x5.37"
Weight:3.9Kg(7.9Lb)	Required Pressure:70-120Psi(4.8-8.3Bar)
Max.Presssure:120Psi(8.3Bar)	L Capacity:200~300Pcs





AIR **NAILER**

HIGH LEVER COIL NAILER

Contruction & Industry

Home Improvement

CN45RA

- Nail head and drive pin have be heat treated by Ipsen which import from Germany.
- One piece drive pin working life is more 0.3 millions times.
- Can be bump fire and sequential fire.
- Jamed nail rate at about 0.03%.
- Aircraft grade bumper, resistant to wearing.
- TPE handle sheath, not easy to frost crack.
- High strength alum alloy die casting body.
- · High strength plastic magazine, stand wear and tear.
- Tool free precise adjustable depth of drive.
- · Safety nose will be shot under twice the weight of the gun body, for safety of operation.


SPECIFICATIONS

Model No:CN45RA

Dimension:283x280x115mm (11.14"x11.02"x4.52")

Required Pressure:70-110Psi(4.8-7.5Bar)

Max.Presssure:120Psi(8.3Bar) Nail Capacity:120Pcs





PROFESSIONAL COIL SIDING NAILER









AIR NAILER


HIGH LEVER AIR NAILER

Contruction & Industry

Home Improvement

Coil Siding Nailer

- ·Lightweight and durable.
- Drives 1-1/2" to 2-1/2" 0° coil nails.
- · High-capacity side-load magazine.
- · Tool-less depth adjustment.
- Durable construction.





SPECIFICATIONS

Model No:CN65ZRA

Weight:2.3Kg(5.06Lb)


Max.Presssure:120Psi(8.3Bar)

Dimension:282x316x145mm(11.1"x12.44"x5.71")

Required Pressure:70-120Psi(4.8-8.3Bar)

Nail Capacity:300Pcs





SPECIFICATIONS

Model No:CN65RA	Dimension:282x316x132mm(11.1"x12.44"x5.2")
Weight:2.3Kg(5.06Lb)	Required Pressure:70-120Psi(4.8-8.3Bar)
Max.Presssure:120Psi(8.3Bar)	Nail Capacity:250Pcs
	- 92 -

COIL FRAMING NAILER



AIR NAILER

FRAMING NAILER

- Contruction & Industry
- Home Improvement

MCN90

- Aircraft grade bumper, resistant to wearing.
- TPE handle sheath, not easy to frost crack.
- · High strength aluminum alloy die casting body.
- High strength plastic magazine, stand wear and tear.

SPECIFICATIONS

Model No:MCN90


Dimension:376x356x132mm (14.80"x14.01"x5.19")

Required Pressure:90-110Psi(6.1-7.5Bar)

Max.Presssure:120Psi(8.3Bar)

Weight:4.25Kg(9.35Lb)

Nail Capacity:225Pcs



ALUMINUM HOUSING

Light weight and strong aluminum housing

TRIGGER

Available with either sequential and contact fire triggers.

Nose

Open nose design for easy extraction of a jammed nail

SOFT GRIP HANDLE

Non-slip rubber grip for comfort and better control

QUICK COUPLER

1/4" chrome quick coupler.

MAGAZINE

Big loading capacity magazine willfasten a full bundle of shingles without reloading.

MAGAZINE TRIGGER

Open and close magzine.



M SERIES COIL PALLET NAILER

Pallet Factory
Contruction & Industry




MCN55


- · Large piston with German workmanship
- Die cast aluminum body
- · Light weight, well balanced
- Multi-directional exhaust
- Fires 15 degree wire-collated nails from 1"-2-1/4"
- · Contact fire trigger
- Spare parts interchangable with MAX
- Industrial grade super heavy duty coil nailer,
 Ideal for making pallets, packaging and crating

SPECIFICATIONS

Model No:MCN55	Dimension:283x131x270mm(11.14"x5.15"x10.62")		
Weight:2.7Kg(5.94Lb)	Working Pressure:85-115Psi(5.8-8Bar)		

Max.Presssure:120Psi(8.3Bar) Load Capacity:300~350Pcs










AIR NAILER

M SERIES COIL PALLET NAILER

M Pallet Factory

Contruction & Industry



MCN70

SPECLFICATIONS


Model No.MCN70

Dimension:315x128x306mm(12.40"x5.03"x11.05")


Working Pressure:85-115Psi(5.8-8Bar)

Max.Presssure:120Psi(8.3Bar)

Weight:3.8Kg(8.36Lb)







MCN80

SPECLFICATIONS

Model No.MCN80 Dimension:362x132x307mm(14.25"x5.19"x12.08")


Working Pressure:85-115Psi(5.8-8bar)

Max.Presssure:120Psi(8.3Bar)

Weight:4Kg(8.8Lb)

Load Capacity:300-350Pcs





MCN100

SPECLFICATIONS

Model No.MCN100

Dimension:417x156x336mm(16.68"x6.14"x13.22")

Working Pressure:85-115Psi(5.8-8Bar)

Max.Presssure:120Psi(8.3Bar)

Weight:5.3Kg(11.6Lbs)

Load Capacity: 150-300Pcs



PROFESSIONAL FINISH NAILER



FINISH NAILER

Contruction & Industry

Home Improvement



- Light weight and strong aluminum housing
- Non-slip rubber grip for comfort and better control
- 360 degree adjustable air exhaust
- Spacious magazine holds up to 100 nails
- Heat treated air inlet plug with longer life and greater drive power
- Tool-free jam release mechanism for easy nail removal
- Ideal for interior and exterior finish and trim, furniture, cabinet work, staircases, base boards, shoe and crown moulding, window casing, and chair rail moulding

SPECLFICATIONS

Model No:AFN64

Operating Pressure:80-120Psi(5.5-8.3Bar)

Weight:1.83Kg(4.07Lb)

Dimension:320x280x80mm(12.59"x11.02"x3.14")

Max.pressure:120Psi(8.3Bar)

Load Capacity:100Pcs

34°Angle Finish Nailer **DA64R**

- Light weight and strong aluminum housing
- Non-slip rubber grip for comfort and better control
- 360 degree adjustable air exhaust
- Spacious magazine holds up to 100 nails
- Heat treated air inlet plug with longer life and greater drive power
- Tool-free jam release mechanism for easy nail removal
- Ideal for installing cabinets, mounting crown and base moldings, window and door casings, chair rails, exterior trim and staircases, hanging shutters



SPECLFICATIONS

Model No.DA64R Dimension:320x330x80mm(12.59"x12.99"x3.14")
Weight:2.09Kg(4.6Lb) Required Pressure:80-120Psi(5.5-8.3Bar)
Max.pressure:120Psi(8.3Bar) Load Capacity:100Pcs



2 IN 1 COMBI NAILER



RC SERIES NAILER

Contruction & Industry

Home Improvement

Furniture Factory



- · Light weight and strong aluminum housing
- Non-slip rubber grip for comfort and better control
- 360 degree adjustable air exhaust
- · Spacious magazine holds up to 100 nails
- · Heat treated air inlet plug with longer life and greater drive power
- Tool-free jam release mechanism for easy nail removal
- Ideal for trim work, furniture building, baseboards and crown molding installation, flooring, cabinetry, cabinet backing, window casing, picture frame assembly and other woodworking finish applications



SF5040RC

SPECLFICATIONS

Dimension:283x256x60mm(11.14x10.07"x3.26") Model No.SF5040RC

Required Pressure:70-110Psi(4.8-7.5Bar) Weight:1.6Kg(3.52Lb) Max.Presssure:120Psi(8.3Bar) Load Capacity: 100Pcs

• Fastener Range: 15,20,25,30,32, 35,38,40,45,50mm





F50RC

SPECLFICATIONS

Model No.F50RC	Dimension:283x256x60mm(11.14"x10.07"x2.36"		
Weight:1.55Kg(3.41Lb)	Required Pressure:70-110Psi(4.8-7.5Bar)		
Max.Presssure:120Psi(8.3Bar)	Load Capacity:100Pcs		

CONCRETE NAILER

Contruction & Industry Home Improvement



NAILER

BRAD NAILER/STAPLER

Contruction & Industry

Home Improvement

Furniture Factory

Concrete Nailer

ST64X

- Sequential firing safe system.
- Heavy duty design with large piston allow to operate cement or steel.
- Alu.Oxidized magazine with hard-surface treatment.



SPECLFICATIONS

Model No:ST64X	Dimension:330x275x90mm(12.99"x10.82"x3.54"	
Working pressure:80-110Psi(5.5-7.5Bar)	Weight:3.3Kgs(7.26Lbs)	
Max.pressure:120Psi(8.3Bar)	Load Capacity:90Pcs	

LT50

- Quick clear nose.
- No-marring rubber driver tip.
- 360 degree adjustable exhaust.
- Drive 16Ga, finish nails 3/4 inch to 2 inch.
- · Heat treated aluminum housingextra heavy duty industil design.



SPECLFICATIONS

Model No:LT50	Dimension:303x280x80mm(11.92"x11.02"x3.14")		
Working pressure:70-110Psi(4.8-7.5Bar)	Weight:2.3Kg(5.0Lb)		
Max.pressure:120Psi(8.3Bar)	Load Capacity:90Pcs		

Wide Crown Stapler

- · Light weight and strong aluminum housing
- *Ergonomic handle, non-slip rubber grip.
- *Spacious magazine holds up to 100 nails
- Efficient contact operation

 Ideal for decorative trim, furniture trim, rail moulding, Crown moulding, window casing, door installation, base boards, chair rails, Picture frame Assembly, and hobbies and crafts

N851NP

SPECLFICATIONS

Model No:N851NP

Dimension:362x340x80mm(14.25"x13.38"x3.14")

Working Pressure:70-110Psi(4.8-7.5Bar)

Max.pressure:120Psi(8.3Bar)

Weight:2.2Kg(4.84Lb) Load Capacity: 150Pcs



Brad Nailer

F30F

SPECLFICATIONS

Model No:F30F

Dimension:260x185x68mm(10.23"x7.28"x2.67")

Working Pressure:70-110Psi(4.8-7.5Bar)

Max.pressure:120Psi(8.3Bar)

Weight:1.22Kg(2.7Lb) Load Capacity:100Pcs



Narrow Crown Stapler

SPECLFICATIONS

Model No:9040B

9040B


Dimension:303x274x81mm(11.92"x10.78"x3.18")

Working Pressure:70-110Psi(4.8-7.5Bar)


Max.pressure:120Psi(8.3Bar)

Weight: 2.54Kg(5.5Lb)

Load Capacity: 100Pcs









WIDE CROWN STAPLER



AIR NAILER

WIDE CROWN STAPLER


Contruction & Industry

Home Improvement

Furniture Factory

Wide Crown Stapler

- Light weight and strong aluminum housing
- Non-slip rubber grip and plastic trigger for comfort and better control.
- Magazine release knob, easy to use.
- · Aluminum alloy magazine with large capacity.
- Heat- treated cylinder cover with hammer function
- · High quality piston with increased life up to 1000000 cycles.
- Ideal for lathing, sheathing, insulation installation, cabinetry, upholstery, furniture and frame construction, industrial packaging, joinery, measurement and assembly construction





A8016


SPECLFICATIONS

Model No:A8016

Dimension:220.5x140.5x43.2mm(8.68"x5.51"x1.70")

Working pressure:72-87Psi(5-6Bar) Weight:0.91Kg(2.0Lb)

Max.pressure:120Psi(8.3Bar) Load Capacity:125Pcs





A7116

SPECLFICATIONS

Model No:A7116	Dimension:220.5x140.5x43.2mm(8.68"x5.51"x1.70")		
Working pressure:72-87Psi(5-6Bar)	Weight:0.91Kg(2.0Lb)		
Max.pressure:120Psi(8.3Bar)	Load Capacity:157Pcs		

STAPLER

Contruction & Industry Home Improvement





Furniture Factory

Ga20 Wide Crown Stapler

- · Alum die casting gun body.
- · Easily open magazine latch for fast loading by one hand.
- Working life of drive pin is over 150 thousand times.
- Aviation grade bumper.

SPECLFICATIONS

Sequential fire.


1013J

- TPE handle sheath, hard to frost crack.
- Wear resistant hard anodized alum magazine.










Model No:1013J Dimension:210x145x45mm(8.26"x5.70"x1.77") Weight: 0.9Kg(1.9Lb) Working pressure:70-110Psi(4.8-7.5Bar)

Max.pressure:120Psi(8.3Bar) Load Capacity:70Pcs





1022J

SPECLFICATIONS

Model No:1022J	Dimension:241x186x54mm(9.48"x7.32"x2.12")	
Weight:1.25Kg(2.71Lb)	Working pressure:70-110Psi(4.8-7.5Bar)	
Max.pressure:120Psi(8.3Bar)	Load Capacity:100Pcs	



AIR PIN NAILER/PALM NAILER

Contruction & Industry

Home Improvement

Furniture Factory

Pin Nailer H625

- Headless pin for perfect decoration without mark.
- Nail length regular automatically to desire pin length.
- Complicate with: Senco finish pro 10, Accuset a 100mp, porter cable pin100.





SPECLFICATIONS

Model No:H625	Dimension:215x162x45mm(8.46"x6.37"x1.77")		
Weight:1.0Kg(2.2Lb)	Working pressure:60-100Psi(4-7Bar)		
Max.pressure:120Psi(8.3Bar)	Load Capacity:140Pcs		

Air Palm Nailer MSN90

- Magnetic nose holds a fastener in place for safe and accurate fastener placement
- Accepts a 2-1/2" 3-1/2" bulk fasteners
- Light weight for easy maneuverability
- 360 Degree swivel fitting for maximum maneuverability and ease of use
- · Ideal for installing Joist hangers and metal connectors



SPECLFICATIONS

Model No:MSN90	Dimension:103×53×103mm(4.05"x2.08"x4.05") Working pressure:70-100Psi(5-7Bar)		
Weight:0.35Kg(0.8Lb)			
Max.pressure:120Psi(8.3Bar)	Load Capacity:1Pcs		

-107--108-

2 IN 1 FLOORING NAILER



AIR NAILER


FLOORING NAILER

Contruction & Industry

Home Improvement

3 In 1 Flooring Nailer 9800RC

- L,T or staple configuration.
- Ergonomic design with longer handle for easy operation.
- Composite base to eliminate scratch and damage to the surface of the wood.
- Non-Marring base is designed to allow driving of fastener close to wall.
- Using no cylinder structure, the life of the product is longer.



SPECLFICATIONS

Model No:9800RC Dimension:489×495×90mm(19.25"x19.49"x3.54")

Working pressure:80-120Psi(5.5-8Bar) Weight:4.54kg

Max.pressure:120Psi(8.3Bar) Load Capacity:100Pcs







CARTON CLOSING STAPLER



MTA18

- · Light weight and strong aluminum housing
- · Ergonomic handle, non-slip rubber grip
- · Spacious magazine holds up to 100 nails
- · Fasteners length adjustable
- Depth of Clinch and Penetration Adjustable
- · Ideal for folding boxes, complete overlap and other corrugated cardboard applications

SPECIFICATIONS

Model No:MTA18	Dimension:346x227x145mm(13.62"x8.94"5.71")
Working Pressure:70-100Psi(5	-7Bar) Max.Presssure:120Psi(8.3Bar)
Weight:2.7Kg(5.94Lb)	Load Capacity:100Pcs



PNEUMATIC RIVET GUN

△ Contruction & Industry

Automotive Repair & Maintenance

AIR Rivet Gun

AIR NAILER

AIR NAILER KITS

Contruction & Industry

Home Improvement

Air Rivet Gun

P70

Lightweight design reduces user fatigue for prolonged use.

Pneumatic riveter features a transparent container with holes for quick release of rivet ends. Compact design of air-powered tool allows the operator to use it in tight spaces Handheld tool allows easy pulling up to 2200 lbs. Simple construction of the riveter ensures easy maintenance

The Aeropro P70 air rivet gun is designed for heavy duty industrial application of rivets from 3/32 to 3/16-inch. This tool will increase productivity in any field. Range of use includes industrial, automotive and constructionFabrication shops and body shops.



RIVET	PULLING	AIR	AIR	AIR	MIN.HOSE
SIZES	POWER		COMPRESSOR	INLET	SIZE
3/32,1/8,5/32, 3/16in. (2.4,3.2, 4.0,4.8mm)	2000 lbs. 907 kgm	0.2 CFM 6 L/min	2 Gal.or Larger	1/4 in.	1/4 in. 7,6 mm

AP9209-A

1 pc AFN64 Finish Nailer
1 pc F50RC Brad Nailer
1 pc 9025RC Narrow Stapler
3 pcs Hex Key wrenches
1 pc Safety Goggle
1 pc Oil
1 pc Blow Case



AP9202-A

1 pc F50RC Brad Nailer 1 pc A8016 Air Stapler 1 pc Safety Glasses 1 pc Oil Pot 2 pcs Hex Key Wrenches 1 pc Blow Case



AP9200-A

1 pc RHF9021 Framing Nailer 1 pc AFN64 Finish Nailer 1 pc F50RC Brad Nailer 1 pc Oil Pot

1 pc Oil Pot

4 pcs Hex Key Wrenches

2 pcs No-mar Tip

3 pcs One-thousand Nails

1 pc Blow Case



- 113 -